




CONSTIX® Swabs for Industrial Applications

Clean counts most



CONSTIX® Swabs

Swabs are designed with different lengths, head sizes, and materials to meet very specific customer needs.

With more than thirty unique foam, polyester and cotton swabs available, our CONSTIX® swab line offers a solution to almost any swab application challenge. Included are sealed foam swabs for general applications, sealed polyester swabs for applications requiring extreme cleanliness and durability, and ultrapure smooth cotton swabs for optics and other residue sensitive applications. Our ESD swabs are ideal for applications that are sensitive to electro-static discharge. Custom swab design and manufacture is also available for qualified applications.

- SF Series swabs feature open or closed cell polyurethane foam that is soft, yet strong, for a variety of applications.
- SP Series swabs are made of 100% synthetic fabrics and are available with knit, nonwoven, or microfiber heads. They have great durability and exceptionally low residue and particulate levels.
- SC Series swabs feature high quality Huby®-340 swabs made of long-staple cotton fibers with a methyl-cellulose binder for the tightest, smoothest, and cleanest cotton swabs available. Most SC Series swabs have dual heads for even greater utility.
- ESD Series swabs feature handles that are truly static dissipative for quick removal of surface electro-static charges.

Every CONSTIX swab is designed in different lengths, head sizes and materials to meet very specific customer needs. Most are compatible with a variety of solvents and solutions, and with such a wide variety of head and handle combinations, there is probably a standard CONSTIX Swab that is ideal for your specific need. If not, just let us know – we make custom swabs for unique applications that in time might even become one of the standard swabs shown here.


"With more than thirty unique swabs available, Contec's CONSTIX® swab line offers a solution to any swab application challenge."

CONSTIX® Sealed Foam Swabs

Product information

Contec's CONSTIX® SF Series sealed foam swabs have 100 PPI reticulated polyurethane foam heads except where noted for strength and abrasion resistance. Open-cell foam (used in SF-3, SF-5, SF-9, SF-12 and SF-13) is excellent for particle entrapment and retention, making these swabs ideal for applying lubricants and removing excess materials. Closed-cell foam (used in SF-1, SF-2, SF-6, and SF-7), is ideal for wiping surfaces clean as well as applying gels and other viscous materials. Compatible with isopropyl alcohol.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-1	0.80" 20.3 mm	0.42" 10.7 mm	0.96" 24.4 mm	0.26" 6.5 mm	0.12" 3.0 mm	5.0" 127 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-2	0.60" 15 mm	0.42" 10.7 mm	1.04" 25.4 mm	0.26" 6.5 mm	0.12" 3.0 mm	5.0" 127 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-3	0.46" 11.7 mm	0.37" 9.4 mm	0.92" 23.4 mm	0.12" 3.0 mm	0.12" 3.0 mm	6.05" 153.7 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-5	0.25" 6.4 mm	0.22" 5.6 mm	0.68" 15.2 mm	0.12" 3.0 mm	0.12" 3.0 mm	6.4" 163 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-6	0.30" 7.6 mm	0.20" 5.1 mm	0.80" 20.3 mm	0.12" 3.0 mm	0.12" 3.0 mm	4.5" 114 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-7	0.20" 5.1 mm	0.20" 5.1 mm	0.50" 12.7 mm	0.19" 4.8 mm	0.19" 4.8 mm	4.2" 107 mm	Polypropylene	500/case



CONSTIX® Sealed Foam Swabs continued

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-9	0.14" 3.6 mm	0.13" 3.3 mm	0.30" 7.6 mm	0.10" 2.5 mm	0.10" 2.5 mm	2.6" 66 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-12	0.16" 4.1 mm	0.16" 4.1 mm	0.40" 10.2 mm	0.10" 2.5 mm	0.10" 2.5 mm	2.8" 71 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-13	0.03" 0.76 mm	0.13" 3.3 mm	0.70" 17.8 mm	0.12" 3.0 mm	0.12" 3.0 mm	3.2" 81 mm	Glass/ Polypropylene	500/case



CONSTIX® Sealed Foam Over Cotton

Product information

Sealed Foam Over Cotton swabs are good for general cleaning in critical environments. They are ideal for customer applications that require more sorbency.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-11	0.33" 8.4 mm	0.24" 6.1 mm	1.00" 25.4 mm	0.10" 2.5 mm	0.10" 2.5 mm	6.0" 152 mm	Wood	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-17	0.25" 6.4 mm	0.25" 6.4 mm	0.85" 21.5 mm	0.09" 2.2 mm	0.09" 2.2 mm	6.0" 152 mm	Wood	500/case



CONSTIX® Sealed Foam Over Cotton continued

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-19	0.37" 9.4 mm	0.33" 8.4 mm	0.82" 20.8 mm	0.09" 2.2 mm	0.09" 2.2 mm	6.0" 152 mm	Wood	500/case



CONSTIX® Electrostatic Dissipative Swabs

Product information

CONSTIX Electrostatic Dissipative swabs are available with truly conductive handles for ESD sensitive applications.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SF-13ESD	0.03" 0.76 mm	0.13" 3.3 mm	0.70" 17.8 mm	0.10" 2.5 mm	0.12" 3.0 mm	3.2" 81 mm	Conductive Acrylic	500/case



CONSTIX® Cotton Swabs

Product information

Made with the longest staple cotton fibers and a simple methyl-cellulose binder, Contec's SC Series Huby®-340 swabs provide very low levels of extractable residue, particles, and fibers. Unlike traditional cotton swabs, these swabs offer the most tightly wrapped heads of any cotton swab available anywhere. This results in cotton swabs that are appropriate for use in some of the most critical applications, including disk drive manufacturing and high-level optical surfaces.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-1	0.19" 4.7 mm	0.19" 4.7 mm	0.43" 11 mm	0.10" 2.5 mm	0.10" 2.5 mm	3.2" 81 mm	Fine paper	3,750/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-2	0.17" 4.4 mm	0.10" 2.6 mm	0.59" 15 mm	0.10" 2.5 mm	0.10" 2.5 mm	3.05" 78 mm	Fine paper	3,750/case



CONSTIX® Cotton Swabs continued

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-3	0.10" 2.5 mm	0.10" 2.5 mm	0.53" 13.5 mm	0.06" 1.5 mm	0.06" 1.5 mm	3.0" 76 mm	Fine paper	5,000/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-4	0.09" 2.2 mm	0.09" 2.2 mm	0.31" 8.0 mm	0.06" 1.5 mm	0.06" 1.5 mm	3.0" 76 mm	Fine paper	5,000/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-7	0.12" 3.0 mm	0.12" 3.0 mm	0.43" 11 mm	0.06" 1.5 mm	0.06" 1.5 mm	3.1" 79 mm	Fine paper	5,000/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SC-9	0.19" 4.7 mm	0.19" 4.7 mm	0.59" 15 mm	0.09" 2.3 mm	0.09" 2.3 mm	5.9" 150 mm	Wood	2,000/case



CONSTIX® Sealed Polyester Swabs

Product information

Contec's SP Series swabs have several head options including laundered polyester, nonwoven polyester, and microfiber polyester. They have exceptionally low residue and particulate levels. These swabs are the best options for use with harsh solvents such as acetone, nitric and sulfuric acids.

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-1 Knit	0.25" 6.4 mm	0.25" 6.4 mm	0.80" 20.3 mm	0.12" 3.0 mm	0.12" 3.0 mm	6.0" 152 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-3 Knit	0.40" 10.2 mm	0.12" 3.0 mm	1.00" 25.4 mm	0.12" 3.0 mm	0.12" 3.0 mm	6.0" 152.4 mm	Polypropylene	50/case



CONSTIX® Sealed Polyester Swabs continued

Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-6 Knit	0.27" 6.9 mm	0.11" 2.8 mm	0.62" 15.8 mm	0.13" 3.2 mm	0.13" 3.2 mm	6.4" 164 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-8 Knit	0.48" 12.2 mm	0.14" 3.4 mm	0.91" 23.1 mm	0.23" 5.7 mm	0.23" 5.7 mm	4.9" 124 mm	Polypropylene	100/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-9 Knit	0.15" 3.9 mm	0.10" 2.5 mm	0.42" 10.7 mm	0.09" 2.3 mm	0.09" 2.3 mm	2.8" 70 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-10 Knit	0.13" 3.3 mm	0.09" 2.3 mm	0.44" 11.1 mm	0.09" 2.3 mm	0.09" 2.3 mm	2.8" 70 mm	Polypropylene	500/case



Part No.	Head Width	Head Thickness	Head Length	Handle Width	Handle Thickness	Swab Length	Handle Material	Packaging
SP-11 Knit	0.14" 3.4 mm	0.10" 2.5 mm	0.39" 9.8 mm	0.09" 2.3 mm	0.09" 2.3 mm	2.7" 69 mm	Polypropylene	500/case



For more information or to purchase
Contec® Surface Preparation products,
please contact our sales team.

Contec, Inc.
Spartanburg, SC 29303 USA
tel: +1-864-503-8333

cs_surfaceprep@contecinc.com
surfaceprep.contecinc.com

Copyright © 2023 Contec, Inc. All rights reserved.



CAT020 | 120623